3 (Sem-1) BOT M 2

2018

BOTANY

(Major)

Paper: 1.2

(Bryophytes and Pteridophytes)

Full Marks: 60

Time: 3 hours

The figures in the margin indicate full marks for the questions

- **1.** Choose and write the correct answer: $1 \times 7 = 7$
 - (a) Which one is commonly known as peat or bog moss?
 - (i) Riccia
 - (ii) Marchantia
 - (iii) Polytrichum
 - (iv) Sphagnum
 - (b) The thallus of Riccia is
 - (i) filamentous
 - (ii) dorsiventral
 - (iii) erect
 - (iv) climber

- (c) In Anthoceros, the sporogenous tissue is derived from
 - (i) endothecium tissue
 - (ii) gametophytic tissue
 - (iii) amphithecium tissue
 - (iv) None of the above
- (d) A bryophyte differs from pteridophyte in
 - (i) archegonia
 - (ii) lack of vascular tissue
 - (iii) flagellated antherozoids
 - (iv) independent gametophytes
- (e) Protocorm is found in
 - (i) Lycopodium
 - (ii) Selaginella
 - (iii) Equisetum
 - (iv) Marsilea
- (f) The earth's first forests were formed of plants belonging to
 - (i) Psilopsida
 - (ii) Lycopsida
 - (iii) Sphenopsida
 - (iv) Pteropsida

- (g) Stele in Selaginella stem is
 - (i) protostele
 - (ii) siphonostele
 - (iii) solenostele
 - (iv) dictyostele
- 2. Distinguish between the following:

2×4=8

- (a) Amphithecium and Endothecium
- (b) Pseudopodium and Vaginula
- (c) Homosporus and Heterosporus
- (d) Strobilus and Sporocarps
- 3. Answer any three of the following:

5×3=15

- (a) Describe the thallus structure of Riccia and Marchantia
- (b) Distinguish between Urostachya and Rhopalostachya.
- (c) Briefly describe the external structure of mature gametophore of Sphagnum.
- (d) Describe briefly the stelar variation in the stem of Lycopodium species.
- (e) Distinguish between the elaters of Equisetum and Bryophytes. Mention the function of elaters. 3+2=5

4. Answer the following questions:

10×3=30

(a) Write an illustrated account of the sporophyte of *Polytrichum* with a neat diagram.

10

Or

Give an account on the affinities of Anthoceros.

(b) Discuss the peculiarities found in the external features of Selaginella. Give a brief account of the morphological nature of rhizophore in Selaginella.

5+5=10

Or

Justify the statement, "Psilotum is a living fossil".

(c) Define eusporangiate and leptosporangiate development of sporangia in pteridophytes. Describe with neat sketches the stages in the development of sporangium in Adiantum. 5+5=10

Or

Define parthenogenesis. Discuss in detail the phenomenon of apogamy in pteridophytes. 2+8=10
