## Total number of printed pages-7

## 3 (Sem-5/CBCS) BOT HC 2

Acc. No.

Date

2022

## BOTANY

(Honours)

nandaram Dhe Paper: BOT-HC-5026

(Plant Physiology)

Full Marks: 60

Time: Three hours

## The figures in the margin indicate full marks for the questions.

- Answer any seven from the following: 1.  $1 \times 7 = 7$ 
  - The apoplast and symplast of a plant (a) are:
    - living and dead parts respectively
    - (ii) both living parts
    - (iii) both dead parts
    - dead and living parts respectively (iv)

Contd.

- (b) The sieve tubes contain several types of fibrillar proteins called
  - G-proteins
  - S-proteins
  - (iii) P-proteins
  - (iv) X-proteins
- Foolish seedling disease of rice is caused by the fungus \_\_\_\_ (Fill in the blank)
- Chemically kinetin is known as (Fill in the blank)
- The two components of florigen are:
  - kinetin and anthesin
  - gibberellin and anthesin
  - gibberellin and brasinosteroid
  - anthesin and ethylene
- Calmodulin contains
  - calcium and magnesium
  - calcium and sugar (ii)
  - calcium and lipid
  - calcium and protein



- In water stressed plant, the cells will have
  - relatively more negative water potential
  - less negative water potential
  - (iii) no water potential
  - (iv) None of the above
- Aquaporins are formed in cell membrane by the adjourned of the
  - integral membrane proteins
  - peripheral membrane proteins
  - phospholipids
  - (iv) None of the above
- Blocking of a xylem vessel or tracheid by an air bubble is called as
  - cavitation
  - embolism
  - (iii) hydraulic discontinuity
  - (iv) None of the above

- (b) The sieve tubes contain several types of fibrillar proteins called
  - (i) G-proteins
  - (ii) S-proteins
  - (iii) P-proteins
  - (iv) X-proteins
- (c) Foolish seedling disease of rice is caused by the fungus \_\_\_\_\_.

  (Fill in the blank)
- (e) The two components of florigen are:
  - (i) kinetin and anthesin
  - (ii) gibberellin and anthesin
  - (iii) gibberellin and brasinosteroid
  - (iv) anthesin and ethylene
- (f) Calmodulin contains
  - (i) calcium and magnesium
  - (ii) calcium and sugar
  - (iii) calcium and lipid
  - (iv) calcium and protein




- (g) In water stressed plant, the cells will have
  - (i) relatively more negative water potential
  - (ii) less negative water potential
  - (iii) no water potential
  - (iv) None of the above
- (h) Aquaporins are formed in cell membrane by the adjoint of the cell
  - (i) integral membrane proteins
  - (ii) peripheral membrane proteins
  - (iii) phospholipids
  - (iv) None of the above
- (i) Blocking of a xylem vessel or tracheid by an air bubble is called as
  - (i) cavitation
  - (ii) embolism
  - (iii) hydraulic discontinuity
  - (iv) None of the above

- (i) Cohesive force of water is due to presence of
  - hydrogen bonds between water molecules
  - covalent bonds between water molecules
  - hydrogen bonds between water and components of xylem walls
  - (iv) None of the above
  - Phototropins are \_\_\_\_\_ proteins. (Fill in the blank)
  - Magnesium is an important component of
    - chlorophylls
    - phaeophytin
- (ii) cytochromes
  - (iv) All of the above



- Write briefly on any four of the following: 2.  $2 \times 4 = 8$ 
  - Sand culture
  - Difference between active and passive absorption

- Cytokinin (c)
- Antitranspirants (d)
- Adsorption (e)
- Difference between apoplast and symplast was a long to the land of the lan
- Phytochrome genes
- Chelating agents (h)
- Write short notes on any three of the 5×3=15 following:
  - Richmond and Lang effect
  - Source sink relationship
  - Hydroponics
  - Co-transport
  - Donnan equilibrium (e)
  - Proton ATPase Pump (f)
  - Photoinductive cycle (g)
  - Jasmonic acid (h)



- 4. Answer **any three** of the following: 10×3=30
  - (a) What is water potential? Describe its various components. 3+7=10
  - (b) Discuss the mechanism of absorption of mineral salts by plants. How does it differ from absorption of water?

6+4=10

(c) Write about the occurrence, availability, physiological role and deficiency symptoms of Nitrogen in plants.

1+1+4+4=10

(d) What is phloem transport? Describe the pressure flow model to explain the mechanism of phloem transport.

3+7=10

7+3=10

(e) What is phytohormone? Mention the different kinds of phytochrome. Describe at least one member of each class of phytohormone with particular reference to its structure and function.

2+2+3+3=10

(f) What is florigen concept? Describe its role in stimulating flowering in different types of photoperiod sensitive plants.

(g) What are the criteria of essentiality of elements? Narrate briefly the various functions of essential elements.

5+5=10

(h) Describe the starch-sugar hypothesis and K<sup>+</sup> pump theory of stomatal movement. 5+5=10

