Total number of printed pages-8 world (a)

3 (Sem-5/CBCS) CHE HC 2

ind the eiger \$202

bauory and To CHEMISTRY

(Honours Core)

Paper: CHE-HC-5026

(Physical Chemistry-V)

Full Marks: 60

Time: Three hours

The figures in the margin indicate full marks for the questions.

do you mean by inter system

- 1. Answer the following as directed: 1×7=7
 - (a) State whether the following statement is True or False:

For the particle in the box, the maximum probability density for every stationary state wave-function is at the midpoint of the box.

- (b) Show that $\sin nx$. (n is an integer) is an eigenfunction of the operator $\frac{d^2}{dx^2}$ and find the eigenvalue.
- (c) Derive the term symbol for the ground state configuration of Na.
- (d) State which of the following are microwave active and why:

 CO₂, OCS, HF, N₂
- (e) The ionization energy of a molecule is $10 \, eV$. Calculate the wavelength of the radiation that ionize the molecule. $\left(1eV = 1.602 \times 10^{-19} J\right)$
- (f) What do you mean by inter system crossing?
- (a) What are photoinhibitors?
- 2. Answer the following questions: 2×4=8
 - (a) Show that the wave function for a particle in one-dimensional box of length a, where the potential energy is zero, is not an eigenfunction of the linear momentum operator in one dimension.

(b) The functions $\psi_1 = \left(\frac{1}{\pi}\right)^{1/2} \cos x$ and

$$\psi_2 = \left(\frac{1}{\pi}\right)^{1/2} \sin x \text{ are defined in the}$$

interval x=0 to $x=2\pi$. Examine if the functions are orthogonal to each other.

(c) Write how the population of states affects the intensity of spectral line.

(d) Microwave causes molecules to rotate more energetically. A molecule absorbs microwave photon of wavelength 20 cm. Calculate the energy difference between the two rotational levels in joule.



Find the normal vibrational modes

(a) Show that the energy levels of a harmonic oscillator are evenly spaced and it has an energy greater than zero even in its lowest state.

* Nagaon

4. S. Answer any three questions:

distance equal to Bohr radius. varions is state of H-atom occurs at a radial probability density for the and show that the maximum d+2=6 (a) (b) Write down the Hamiltonian energy of a particle in a three-

2+3=5

(ii) Which of the following functions

Considering the diatomic molecules 102 nexponts to be a rix sniztation are eigenfunctions of $\frac{2}{4x^2}$?

for the xE soof (ii) quired for

characterization of a bond can

What information regarding

rotational transition to take place.

differ it the molecule is considered Explain how sze (iii) ectrum will

The force constant of CO is to be a non-rigid rotator, 3+2=5

frequency x832 (v) number in 1840 Nm". Calculate oscillation

Determine the eigenvalue of each

chromophore and auxochrome, 2 (iii) Explain with notional's the terms

> with one example. 1+1=2 (b) (i) Define complementary observable

 $0 = [\hat{\mathbf{a}}, \hat{\mathbf{A}}]$ 3 set of eigenfunctions, then A and B have the same complete (ii) Show that if two linear operators

molecule change as rotational energy rotator. Does the bond length of a real considering the molecule as rigid 3.8424 cm-1. Calculate bond length spectrum of 12C 16O is observed at (c) The first line in the pure rotational

by hot bands: (d) (i) Discuss in brief what do you mean

microwave photon of wavelength 20 cm.

interval x = 0 to x = 2 a. Examine if the

(c) Show that the energy levels of a and which are not. of CO2. Explain which are IR active (ii) Find the normal vibrational modes

absorbed radiation. 2+3=5 proportional to the intensity of the rate of formation of HCl is directly photochemical reaction. Prove that the (e) Write the mechanism of the H₂-Ch₂

NA * Madaou

- (b) (i) Derive expression for the total energy of a particle in a three-dimensional box. Explain the concept of degeneracy. 4+2=6
 - (ii) Taking the example of H₂⁺,
 explain how the potential energy diagram can be constructed.
 What information regarding characterization of a bond can be obtained from this diagram?
 3+1=4
- (c) (i) Considering the diatomic molecule to be a rigid rotator, deduce an expression in wave number unit for the energy required for rotational transition to take place. Explain how the spectrum will differ if the molecule is considered to be a non-rigid rotator. 3+2=5
 - (ii) The force constant of CO is $1840Nm^{-1}$. Calculate oscillation frequency and wave number in cm^{-1} .
 - (iii) Explain with examples the terms chromophore and auxochrome. 2

(d) (i) Show that the Raman lines in the pure rotational Raman spectrum of a diatomic molecule appear at wave number

$$\overline{v} = \overline{v}_0 \pm 2B(2J + 3)$$

where $\overline{\nu}_0$ is the wave number of the Rayleigh line. Draw the schematic diagram to show the Stokes lines and the Anti-Stokes lines. 4+1=5

(ii) Show diagrammatically the relative frequencies of following electronic transitions:

(i)
$$\sigma \rightarrow \sigma'$$

(ii)
$$\pi \to \pi'$$

(iii)
$$n \rightarrow \pi^*$$

(iv)
$$n \to \sigma^*$$

Discuss the effect of polarity of the solvent on the above transitions.

e) (i) Discuss briefly the molecular orbital treatment of BeH_2 and H_2O molecules.

Jokan Con

(ii) HCl molecule has the fundamental frequency 2990cm⁻¹. The anharmonicity constant is 0.019. The depth of the potential well is 43000cm⁻¹. Calculate the dissociation energy is kJ mol⁻¹.

3

the Rayleigh line Draw the will will write short note on:

2

Rule of Mutual Exclusion

(f) (i) With the help of Jablonski diagram, explain all the photophysical processes that an electronically excited molecule may undergo. Give two major differences between fluorescence and phosphorescence.

3+2=5



4+1=5

A substance was exposed to a radiation of wavelength 420nm for a definite period of time when an amount of 10.5J of energy was absorbed. During this time $1.8 \times 10^{-5} mol$ of the substance was found to decompose. Calculate quantum efficiency.

(iii) What is a photostationary state? Explain with example. 2